

Rullstolsanpassad Karusell-singel

KR138012



3-12



2 kids





26,0 m²



Material specification

- Hot-dip galvanized and powder coated steel construction,
- Platform made of durable HPL plate, resistant to weather conditions,
- Seats/backrests made of durable HPL plate, resistant to weather conditions,
- Stainless steel handrails,
- Screws covered with plastic caps and/or stainless steel screws,



Rullstolsanpassad Karusell-singel

KR138012



Length	175 cm
Width	175 cm
Total height	85 cm
Age group	3 - 12 years
Number of users	2 kids
Safety zone	26,0 m ²
Free fall height	85 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	103 kg
Dimensions of the largest part	164x164x12 cm
Availability of spare parts	YES
Installation time	24 h
Color options	

Data is subject to change without prior notice.



30 year guarantee

Structural strength of steel and stainless steel components



15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee

Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee

Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements


- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 45 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Rullstolsanpassad Karusell-singel

KR138012

Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		100



HIC 100

26,0 m²

Data is subject to change without prior notice.